



360 Route 101, Bldg 3, Bedford, NH 03110  
Tel: (603) 471-1499 [info@omnigloves.com](mailto:info@omnigloves.com)

---


---

## Product Information Bulletin

---

---

### PRODUCT



## Latex Powder Free CL

### DESCRIPTION

NON-STERILE LIGHTLY CHLORINATED, POWDER FREE NATURAL RUBBER LATEX EXAMINATION GLOVE. LESS THAN 50µg OF TOTAL EXTRACTABLE PROTEIN PER GRAM OF GLOVE. AMBIDEXTROUS, MICRO-TEXTURED FOR ENHANCED GRIP CONTROL, BEADED CUFFS

### PRODUCT REORDER NUMBERS

Size	Reorder Number
Small	112-01
Medium	112-02
Large	112-03
X-Large	112-04

### STANDARDS OF CONFORMANCE

Standard	Description
ASTM D-3578	Standard Specification for Rubber Examination Gloves
ASTM D-5151	Standard Test Method for the Detection of Holes in Medical Gloves
ASTM D-6124	Standard Test Method for Residual Powder on Medical Gloves
ASTM D-5712	Standard Test Method for Analysis of Protein in Natural Rubber and its Products
EN 455-1	Medical Gloves for Single Use Requirements & Testing for Freedom of Holes
EN 455-2	Medical Gloves for Single Use Requirements & Testing for Physical Properties
MIL-STD-105E (ISO 2859)	Sampling Procedures and Tables

## Technical Information

<b>MATERIAL</b>	Natural Rubber Latex and compounding materials safe for use in medical gloves	
<b>GLOVE DESIGN</b>	Ambidextrous, textured with beaded cuff. 9.5 inch length.	
<b>PACKAGING</b>	<p>100 gloves per box, 10 boxes per case.</p> <p>Dispenser Box Dimensions (mm) 245L, 120W, 83H Approximate weight: 1.9 lbs</p> <p>Outer Carton Dimensions (mm): 430L, 247W, 256H Approximate weight: 19 lbs</p>	
<b>Minimum Thickness (Single Thickness)</b>	Finger Tip	0.18mm (7.2 mil)
	Palm	0.14mm (5.6 mil)
	Cuff	0.12mm (4.8 mil)
<b>Minimum Length</b>	Small	240 mm
	Medium	240 mm
	Large	240 mm
	X-Large	240 mm
<b>Minimum Width at Palm</b>	Small	85mm ±5
	Medium	95mm ±5
	Large	106mm ±5
	X-Large	116mm ±5
<b>Tensile Strength</b>	<u>Unaged</u> 21 (MPa)	<u>Aged</u> 16 (MPa)
<b>Elongation</b>	<u>Unaged</u> 700%	<u>Aged</u> 500%
<b>Residual Protein Content ASTM D3578 &amp; D5712 Standard</b>	Protein Less than 50 µg/gram of glove	
<b>Powder Content</b>	Powder Free, <2mg total powder per glove	
<b>AQL for Pinholes ASTM D5151 Standard</b>	<b>2.5</b>	